

# VRG Tire Rules

January 1, 2017 – December 31, 2017

**If a tire is not listed for your group, assume it is NOT a legal tire until you ask**

## PRODUCTION CARS and SEDANS THROUGH 1972:

**Classes APv, BPv, TA** (similar to SVRA Group 6): Treaded racing tires or approved street tires with a suitable speed rating.

The approved tread patterns are:

Dunlop: CR-65 and CR-82

Avon: All-weather

Goodyear: G-12

Approved Tires:

Dunlop M Series

Goodyear 5.50 & 6.00 -15 Vintage S.C. Special

Hoosier 225/50D, 225/60D, 245/60D-15 Street TD

Goodyear 5.50, 6.00 & 7.00-15 Vintage S. C. Special

Hoosier 275/60D-15 Street TD

Hoosier 26.5/9.5-15 Street TD

Hoosier 25.5/8.5-15 Street TD(front wheels only)

Goodyear 8.00-15 Vintage Sports Car Special

Hoosier 25.5/10.00-15, 27.5/11.00-15 Street TD

Hoosier 245/45-15 Street TD (front wheels only)

Hoosier 25.5/8.5-15 Street TD (front wheels only)

**Classes CPV, DPv, EPv, BSv** (similar to SVRA Group 3): Treaded tires, minimum aspect ratio of 60, except as listed. Tread depth no less than 2/32" remaining, at all times, over 75% of the tire. Certain unlisted DOT tires with appropriate speed rating, MAY be allowed on a case by case basis. *All exceptions must be pre-approved, noted in Log Book, and will only be considered in special cases*

Approved Tires:

Avon Racing: 5.0/22-13, 6.5/23-13 ACB9 (ACB10 not permitted), 185/70-14 (CR6)

BFG G Force Sport: 195/55-15

Dunlop: All "L-series, up to 5.50M-13, 14, 15; 135/545-13 & 165/580-13 (9092)" Formula Ford"

Dunlop Direzza Sport Z1: 185/60-14, 195/60-14

Falken Azenis RT615K – 195/60-14

Goodyear Vintage Blue Streak: applicable sizes

Hoosier: A70-13, P205/60D-13, 14 (Street TD), up to 5.50-15 (Vintage TD), 185/65-15 & 205/60-15 (Speedster)

Hankook: Z213

Kumho: V700

Nitto: NT01 (minimum 3/32" tread depth)

Toyo: 205/60 -13 (RA1), 185/60 -13, 205/60-13 (R888 – R888R), 205/55 -14 (R888), 185/60 – 14 (R888R)

Vredestein Sprint: 13", 14", 15" 16"

Yokohama: A008R, A032, A048 (205/60-15)

**Classes FPv, GPv, HPv, CSv, DSv** (similar to SVRA Group 1): Treaded tires, minimum aspect ratio of 60, except as listed. Tread depth no less than 2/32” remaining, at all times, over 75% of the tire. Certain unlisted DOT tires with appropriate speed rating, MAY be allowed on a case by case basis. *All exceptions must be pre-approved, noted in Log Book, and will only be considered in special cases.*

Approved Tires:

Avon Racing: 5.0/22 – 13 ACB 9 (ACB10 not permitted)

American Racing: 18/6.0 -10 GT

BFGoodrich G - Force Sport

Dunlop: All “L - series”, 5.25M - 13, 135/545 -13 (9092)

Dunlop Direzza Sport Z1:185/60 -14, 195/60 -14

Goodyear Vintage Blue Streak: Applicable sizes

Hoosier: 165/70 -10, 185/60 -13, 205/60-13, A70 -13, 5.0 -15; Street TD, Vintage TD, Speedster

Kumho: V700; 60 series

Toyo: RA1 (205/60-13), R888/R888R (185/60 -13, 205/60-13)

Vredestein Sprint: 13”, 14”, 15”, 16”

Yokohama: A008R (165/70-10), A032, A048

**Specifically Prohibited:** Slicks or any of the following tires:

Avon Tech RA, BFG G - Force R1, Falken RT615K, Goodyear GS/CS/RS, Hankook Z214, Hoosier DOT Radial, (A6 or R6), Kumho V710, Toyo RR, or any other “street slick” type DOT tire.

## PRODUCTION CARS and SEDANS 1973 through 1979:

**Classes APH, BPH, CPH, DPH, EPH, FPH, GPH, HPH, TA2, ASH** (similar to SVRA Group 8): Treaded tires, minimum aspect ratio of 45, except for certain car Make and Models, which have specific tire requirements listed in their Supplemental Regulations. Tread depth no less than 2/32” remaining, at all times, over 75% of the tire. Certain unlisted DOT tires with appropriate speed rating, MAY be allowed on a case by case basis. *All exceptions must be pre-approved, noted in Log Book, and will only be considered in special cases*

Approved Tires:

Avon ACB10

BFG G Force Sport

Dunlop Direzza Sport

Falken: RT615

Goodyear Blue Streak

Hankook

Ventus R-S2, R-S3, Z213

Hoosier: Street TD & Speedster

Kumho V700

Nitto NT01 (minimum 3/32” tread depth)

Toyo RA1, R888, R888R, R1R

Yokohama A032, A048

**Specifically Prohibited:** Slicks or any of the following tires: Avon Tech RA, BFG G -Force R1, Goodyear GS/CS/RS, Hankook Z214, Hoosier DOT Radial, (A6 or R6), Kumho V710, Toyo RR, or any other “street slick” type DOT tire.

Note: VRG CPH (Old SVRA Group 8) must use approved full tread tires, regardless of what specification tires a car may have competed with in a prior race series

**Class CPH *GTO and GTU Classes Only:***

Approved tires:

Avon ACB10

Goodyear Blue Streak

BFG G Force Sport

Hankook Ventus R-S2, R-S3, Z213

Toyo RA1, R888- R888R, R1R

Dunlop Direza Sport

Hoosier Street TD & Speedster

Yokohama A032, A048

Falken: RT615

KumhoV700

NittoNT01(minimum 3/32" tread depth)

**Specifically Prohibited: Slicks or any of the following tires: Avon Tech RA, BFG G -Force R1, Goodyear GS/CS/RS, Hankook Z214, Hoosier DOT Radial, (A6 or R6), Kumho V710, Toyo RR, or any other "street slick" type DOT tire.**

## SPORTS-RACING/MODIFIED THROUGH 1965:

**Classes BM, CM, DM, EM, FM, GM and HM:** Treaded tires.

Approved Tires, Modified class cars and Specials:

Dunlop L-series (204 or 484 compound).

Blockley

Continental

Approved tires, GT cars: All listed above plus:

Hoosier Vintage TD, Hoosier Street TD or Goodyear Blue Streak Sports Car Specials

## SPORTS-RACING 1966-1972:

**Classes ASR, BSR, CSR, and DSR:** Treaded racing tires or approved street tires with a suitable speed rating.

While exact size and aspect ratio are not specified, the entrant must ensure that tire choice is appropriate for the car during the eligibility period.

Approved tires: Sports-racing cars and Prototypes:

Dunlop L-series (204 or 484 compound).

Blockley

Continental

or

Grooved bias-ply slicks with the following approved tread patterns (It is the driver's responsibility to ensure any grooved slicks meet the approved standard):

Dunlop: CR-65 and CR-82 (known as "H"-Pattern, "B"-Pattern or New and Old Historic)

Avon: All-weather (not the CR6ZZ radial pattern)

Goodyear: G-12

Approved tires, GT cars and Modified Production cars: All listed above plus:  
Hoosier Vintage TD, Hoosier Street TD or Goodyear Blue Streak Sports Car Specials

**Class CA:** Racing slicks and treaded racing tires. While exact size and aspect ratio are not specified, entrants must ensure that tire choice is appropriate for the car during the eligibility period.

## SPORTS 2000: *(to be completed)*

## FORMULA FORD:

**Classes HF, CF, FF:** The following are the only allowable spec tires for all classes (Wet or Dry):

Front: Dunlop CR82 9092 Formula Ford, 135/545-13 and Rear: Dunlop CR82 9092 Formula Ford, 165/580-13  
*Standard 9092 compound only (476 not allowed)*

or

Front: Avon 5.0/22.0-13 A29 14297 and Rear: Avon 6.5/23.0-13 A29 14298

or

Front: Hoosier VFF 44165, 135/543-13 and Rear: Hoosier VFF 44170, 165/580-13

## FORMULA VEE:

**Classes FVv, FVH:** Wheels shall be standard 1192 cc VW sedan [4"], slotted 1300 sedan [4"], or standard [non-offset or reversed] 4.5" chrome VW sedan.

Approved Tires:

Hoosier Formula Vee

Dunlop Formula Vee

Or

Any type and size of tire [radial, bias-ply or factory treaded racing] that may be safely fitted to the above specified rims may be used.

*Slick, hand-grooved, special wet racing tires, or recapped tires are NOT allowed. Minimum overall rear tire diameter is 24 inches.*

## FORMULA JUNIOR:

**Classes FJF, FJR:** Treaded tires. Approved tire: Dunlop L-204 Hard Compound. With other tires will be run as Formula C.

## OTHER FORMULA CARS:

**Classes F1v, F3v, FB:** Treaded tires.

Approved Tires:

Dunlop: L, M, Post Historic CR65 and CR82

Avon: All – Weather H-003 — H009

**Class F3H:** Refer to Monoposto Racing Rules and Regulations: [monoposto.com](http://monoposto.com) Suitable and appropriate slicks and treaded tires.

**Class F5:** Refer to Monoposto Racing Rules and Regulations: [monoposto.com](http://monoposto.com) Suitable and appropriate slicks and treaded tires.

-